






www.extragenet-web.com

Extragenet

Your Source of Research Plasticware



ISO 9001 / ISO13485 / CE

ExtraGene is the professional manufacturer of disposable plasticware for research in Taiwan. We produce all of our products in clean room and quality certified by ISO 9001:2015/ ISO 13485:2016. We use 100% virginal resin to control our quality.

All the DNase/ RNase/ Pyrogen certifications are done by third notarial unit.

Offering high quality and competitive price is our most important duties. Continuing to expand product lines to meet customer needs and save budget for users is our target.



| | |
|--|------------|
| About us | Pages : 2 |
| Products | Pages : 3 |
| PCR Tube / Plate | Pages : 4 |
| Pipette Tip | Pages : 14 |
| Pipettor | Pages : 22 |
| Microcentrifuge Tube | Pages : 23 |
| Centrifuge Tube | Pages : 27 |
| Cryo-Vial | Pages : 29 |
| Screw Tube | Pages : 31 |
| ELISA Plate | Pages : 32 |
| Syringe Filter | Pages : 34 |
| Petri Dishes/Contact Plate(RODAC) | Pages : 38 |
| Instruments | Pages : 40 |
| Other products | Pages : 48 |
| Reference | Pages : 52 |
| Agents:Check to Website | |

About ExtraGene

ExtraGene® is a professional Plasticware manufacturer in research field for over 15 years experiences in Taiwan.


We provide excellent quality and service for our clients which supply disposable plasticware products including PCR tube , cryo-vial , microcentrifuge tubes , pipette tips , ELISA and PCR.

We are also specializing in other products such as adjustable volume precision micropipettes , mini centrifuge , petri dishes and PCR thermocycler.

All of our products are certified by ISO 9001 / ISO 13485 at competitive prices for you.




Filter Tips



PCR Tube




Centrifuge Tube



Pipette Tips




Microcentrifuge Tube



ELISA Plate/PCR Plate



TE (Peltier) Cooling PCR Thermocycler



UV Table & Other products



Centrifuge



Petri Dish



Serological pipette



Cryo-Vial

PCR Tube and Plate

PCR tube wall with uniformity and thickness is the most important in all the PCR related products. The extreme PCR tube wall thickness and uniformity will make the temperature's up and down more accurately, and raise the productive efficiency greatly. ExtraGene® plasticware products are manufactured from prime virgin polypropylenes. This result in PCR tubes/ strips and tips that exhibit a perfect balance between transparency, softness, robustness, antistatic characteristics and gas tightness.



PCR Tube with 0.2ml
Thin Wall, Strip of 8
Tubes, Flat Caps



PCR Tube with 0.2ml
Thin Wall, Strip of 8
Tubes, Domed Caps




0.2ml PCR Tube with
Flat Caps



PCR Tube with 0.2ml
Thin Wall, Strip of 8
Tubes, SNAP Caps



PCR Tube with 0.2ml
Thin Wall, White color
with Flat Caps



PCR Plate 96-well,
Half-skirt

PCR Thin Wall Tube, 0.2ml Strip of 8 Tubes, Flat Caps



(Low profile PCR Tube)



25 strips/bag , 5bags/pk , 10pk/cs

ExtraGene® plasticware products are manufactured from prime virgin polypropylenes. This result in tubes, strips and tips that exhibit a perfect balance between transparency, softness, robustness, antistatic characteristics and gas tightness.

- The PCR tube is manufactured from prime virgin polypropylene.
- Ultra thin wall design for efficient heat transfer.
- The PCR tube is compatible with standard 96-well heat blocks.
- Ultra-Clear flat cap is ideal for fluorescent, luminescent and real-time PCR.
- High light transmittance.
- Non-sterile and autoclavable.
- DNase/RNase free/Pyrogen safe.

order information

| Product No. | Description | Color | Packing |
|-------------|---|-------|-----------------------|
| P-02X8-F | 0.2ml PCR Tubes with Flat Caps, 8 Strips | Clear | 125strips/pk, 10pk/cs |
| P-02X8-FT | 0.2ml PCR Flat Caps, 8 Strips | Clear | 125strips/pk, 10pk/cs |
| P-02X8 | 0.2ml PCR Clear Tubes, 8 Strips | Clear | 125strips/pk, 10pk/cs |
| P-01X8-F | 0.2ml Low Profile PCR Tube, 8 Strip with Flat Cap | Clear | 125strips/pk, 10pk/cs |
| P-02X8-W | 0.2ml PCR Tubes with Flat Caps, 8 Strips | White | 125strips/pk, 10pk/cs |

PCR Thin Wall Tube, 0.2ml Strip of 8 Tubes, Domed Caps



25 strips/bag , 5bags/pk , 10pk/cs

ExtraGene® plasticware products are manufactured from prime virgin polypropylenes. This result in tubes, strips and tips that exhibit a perfect balance between transparency, softness, robustness, antistatic characteristics and gas tightness.

- PCR tube are manufactured from prime virgin polypropylene.
- Ultra thin wall design for efficient heat transfer.
- Compatible with standard 96-well heat blocks.
- Non-sterile and autoclavable.
- DNase/RNase free/Pyrogen safe.

order information

| Product No. | Description | Color | Packing |
|-------------|---|-------|-----------------------|
| P-02X8-C | 0.2ml PCR Tubes with Domed Caps, 8 Strips | Clear | 125strips/pk, 10pk/cs |
| P-02X8-P | 0.2ml PCR Domed Caps, 8 Strips | Clear | 125strips/pk, 10pk/cs |
| P-02X8 | 0.2ml PCR Clear Tubes, 8 Strips | Clear | 125strips/pk, 10pk/cs |

0.2ml PCR Tubes with Flat Caps



1000ea/pk, 10pk/cs

The high quality 0.2ml PCR Tubes with flat and frosted caps are suited for labeling. They offers great flexibility in opening and closing repeatedly, The tubes are very well suited for centrifugation purposes and thermal cycling applications.

- Manufactured from prime virgin polypropylene.
- Designed for an optimal fit in all commonly used thermal cyclers.
- Ultra thin wall design for efficient heat transfer.
- Flat and frosted cap for labelling.
- Non-sterile and autoclavable.
- DNase/RNase free/Pyrogen safe.
- Color assorted for blue / green / red /violet / yellow / amber / clear in box

order information

| Product No. | Description | Color | Packing |
|-------------|--|----------|-----------------------------------|
| P-02-C | 0.2ml PCR Tubes with Flat Caps | Clear | 1000ea/pk, 10pk/cs |
| P-02-B | 0.2ml PCR Tubes with Flat Caps | Blue | 1000ea/pk, 10pk/cs |
| P-02-G | 0.2ml PCR Tubes with Flat Caps | Green | 1000ea/pk, 10pk/cs |
| P-02-R | 0.2ml PCR Tubes with Flat Caps | Red | 1000ea/pk, 10pk/cs |
| P-02-V | 0.2ml PCR Tubes with Flat Caps | Violet | 1000ea/pk, 10pk/cs |
| P-02-Y | 0.2ml PCR Tubes with Flat Caps | Yellow | 1000ea/pk, 10pk/cs |
| P-02-A | 0.2ml PCR Tubes with Flat Caps | Amber | 1000ea/pk, 10pk/cs |
| P-02-MIX | 0.2ml PCR Tubes with Flat Caps | Assorted | 1000ea/pk, 10pk/cs |
| P-02-CS | 0.2ml PCR Tubes with Flat Caps (pre-sterilized) | CLEAR | 100ea/bag , 10bags/pk, 10pk/cs |

PCR Thin Wall Tube, 0.2ml Strip of 8 Tubes, Snap Caps




12 strips/ bag ,10bags/pk ,10pk/cs

- The PCR tube is manufactured from prime virgin polypropylene.
- Ultra thin wall design for efficient heat transfer.
- The PCR tube is compatible with standard 96-well heat blocks.
- Ultra-Clear flat cap is ideal for fluorescent, luminescent and real-time PCR.
- High light transmittance.
- Non-sterile and autoclavable.
- DNase/RNase free/Pyrogen safe.

order information

| Product No. | Description | Color | Packing |
|-------------|---|-------|-----------------------|
| P-02X8-CF | 0.2ml PCR Tubes with Snap Flat Caps, 8 Strips | Clear | 120strips/pk, 10pk/cs |
| P -02X8-CFS | 0.2ml PCR Tubes with Snap Flat Caps, 8 Strips(pre-sterilized) | Clear | 120strips/pk, 10pk/cs |

PCR Plate 96 Well and Sealing Film



10 plates / pack, 5 packs / cs

- Manufactured from prime virgin polypropylene.
- Ultra thin wall design for efficient heat transfer.
- Compatible with standard 96-well heat blocks, 8X12 configuration.
- One corner is cut away to facilitate orientation.
- Alphanumeric grid for better identification.
- Each well has a volume of 300ul.
- Non-sterile and autoclavable.
- DNase/RNase free/Pyrogen safe.

order information

| Product No. | Description | Color | Packing |
|-------------|---|-------|------------------------------|
| P-096-PF | PCR Plate 96-Well, Half Skirt | Clear | 10plates/pk,5pks/cs |
| PCR-AS320 | Aluminum Sealing Film for PCR Plates | Clear | 50pcs/bag,50bag/case |
| PCR-TS320 | Ultraclear Sealing Film for PCR Plates, for RT-PCR | Clear | 100pcs/bag, 50bag/case |
| P-02X8-096 | 8strip domed cap for PCR 96well Plate | Clear | 120strips/bag, 10bags/box |

96-well PCR Plate with low profile wells, half skirted



ExtraGene PCR plates are certified DNase, RNase and Pyrogen free. Manufactured from virgin polypropylene with ultra- thin walls and consistent wall thickness that helps ensure a rapid and uniform heat transfer during the PCR process, as well as accurate and reproducible results.

*Application/Compatibility: ABI Fast PCR 7500, 7900 , 9800, Veriti and Step One plus

*Non-sterile and autoclavable.

*Optimized for Fast PCR

*Typical working volume per well: 100ul

Order Information :

| Product No. | Description | Color | Packing |
|-------------|-------------------------------|-------|--------------------|
| P-096-LP | 96well PCR Plate ,low profile | Clear | 10plates/pk,5pk/cs |

96 Deep Well Plate

The non-sterile PP plates, manufactured from high-quality virgin polypropylene and certified RNase, DNase and endotoxin free are autoclavable and resistant to a wide variety of chemicals, including phenols, chloroform, and DMS. In addition, the PP plates can withstand temperatures as low as $-80^{\circ}\text{C}/-112^{\circ}\text{F}$

Round and Square wells you can choose.

All are single package.



96 DeepWell Plate

maximum volume 2 ml , wells round bottom



The non-sterile PP plates, manufactured from high-quality virgin polypropylene and certified RNase, DNase and endotoxin free are autoclavable and resistant to a wide variety of chemicals, including phenols, chloroform, and DMS. In addition, the PP plates can withstand temperatures as low as -80°C/-112°F

- *Optimum storage capacity and improved mixing
- *Ideal for storing sample material, waste collection and for cultivating bacteria or yeasts.
- * Individual pack
- * Easy-to-use with automatic sample handling instruments
- * Alpha-numeric grid for quick sample identification
- * ANSI/SLAS 1-2004: Microplates - Footprint Dimensions

Order Information :

| Product No. | Description | Color | Packing |
|-------------|----------------------------------|-------|---------|
| DP096-U | 96 deep well plate, round bottom | Clear | 25ea/cs |

96 Deep Well Plate

maximum volume 2.2 ml , Square wells



The non-sterile PP plates, manufactured from high-quality virgin polypropylene and certified RNase, DNase and endotoxin free are autoclavable and resistant to a wide variety of chemicals, including phenols, chloroform, and DMS. In addition, the PP plates can withstand temperatures as low as -80°C/-112°F

*Square well

* Ideal for storing sample material, waste collection and for cultivating bacteria or yeasts.

* Individual pack

*U-bottomed wells for easy sample re-suspension.

*Alpha-numeric grid for quick sample identification


*ANSI/SLAS 1-2004: Microplates - Footprint Dimensions

Order Information :

| Product No. | Description | Color | Packing |
|-------------|---------------------------------|-------|---------|
| DP096-SQ | 96 deep well plate, square well | Clear | 25ea/cs |

Pipette Tips

Pipette Tips with low adhesion are injection moulded scientifically to minimize liquid retention and ensure optimal sample yielded. The pipette tips are autoclavable and ideal for sensitive cilinical assays, quantitative analysis, quality control and any other applications where optimal yield and minimum sample loss is required.



10ul / Universal Pipette
Tips (White Tips)



200ul / Universal Pipette
Tips



1000ul / Universal Pipette
Tips



10ul Pipette Tips Racked




200ul Pipette Tips Racked



1000ul Universal Pipette
Tips Racked

Filter Pipette Tips



• Product Description

Filter pipette tips are used for protection against contamination. Application to PCR, sequencing and other techniques involving the use of vaporous, radioactive, biohazardous or corrosive materials.

- Virgin polyethylene filters.
- Ensure that all aerosols and liquids are prevented from entering the pipette.
- Packaged in rack and pre-sterilized.
- The filter pipette tip is best price and great quality.
- DNase/RNase free/Pyrogen safe.
- Autoclavable.

• Autoclaving caution:

Do not exceed 121°C / 250°F, 15PSI, 15 minutes.

Do not put materials on tips when autoclaved.

Remove from autoclave immediately, cool down then to drying.





order information

| Product No. | Description | Rack Color | Packing |
|-------------|--|------------|--------------------|
| TS-10C-FS | 10ul Filter Pipette Tips,Racked,Pre-Sterilized | Orange | 96/rack,50rack/cs |
| TS-10CE-FS | 10ul Extra-long Filter Pipet Tips,Racked,Pre-Sterilized | Violet | 96/rack,50rack/cs |
| TS-20C-FS | 20ul Filter Pipette Tips,Racked,Pre-Sterilized | Yellow | 96/rack,50rack/cs |
| TS-50C-FS | 50ul Filter Pipette Tips,Racked,Pre-Sterilized | Light Blue | 96/rack,50rack/cs |
| TS-100C-FS | 100ul Filter Pipette Tips,Racked,Pre-Sterilized | Pink | 96/rack,50rack/cs |
| TS-250C-FS | 250ul Filter Pipette Tips,Racked,Pre-Sterilized | Green | 96/rack,50rack/cs |
| TS-1500C-FS | 1200ul Filter Pipet Tips,Racked,Pre-Sterilized fit to Eppendorff pipettor and others | Blue | 100/rack,50rack/cs |

※ Enquiry for bulk package

10ul / Universal Pipette Tips (White Tips)



1000ea/pk, 20pk/cs

- Graduated Pipette Tips, Volume 0.5-10ul
- Used with virtually all popular pipettors.
- Special design for reduced retention and accurate sample discharge.
- Packaged in bulk.
- Best price and great quality.
- DNase/RNase free/Pyrogen safe.
- Autoclavable.

• **Autoclaving caution:**

Do not exceed 121°C/ 250°F, 15PSI, 15 minutes.


Do not put materials on tips when autoclaved.

Remove from autoclave immediately, cool down then to drying.

order information

| Product No. | Description | Color | Packing |
|-------------|------------------------------------|-------|--------------------|
| TIP-10-C | 10ul Pipette Tips, 32mm | Clear | 1000ea/pk, 20pk/cs |
| TIP-10-CE | 10ul Pipette Tips extra-long, 45mm | Clear | 1000ea/pk, 20pk/cs |

1000ul / Universal Pipette Tips



1000ea/pk, 5pk/cs

- Used with virtually all popular pipettors Volume 100-1000ul.
- Special design for reduced retention and accurate sample discharge.
- Packaged in bulk.
- Best price and great quality.
- DNase/RNase free/Pyrogen safe.
- Autoclavable.

Autoclaving caution:

Do not exceed 121°C / 250°F, 15PSI, 15 minutes.


Do not put materials on tips when autoclaved.

Remove from autoclave immediately, cool down then to drying.

order information

| Product No. | Description | Color | Packing |
|-------------|--|-------|------------------|
| TIP-1100-B | 1000ul Pipette Tips, 74mm | Blue | 1000ea/pk,5pk/cs |
| TIP-1100-C | 1000ul Pipette Tips, 74mm | Clear | 1000ea/pk,5pk/cs |
| TIP-1500-C | 1200ul Pipette Tips,Low retention,81mm | Clear | 1000ea/pk,5pk/cs |

10ul Pipette Tips Racked





- Graduated Pipette Tips Racked.
- Allow to use with virtually all popular pipettors.
- Special design for reduced retention and accurate sample discharge.
- Packaged in racks.
- Best price and great quality.
- High temperature may cause warping or decreased structural integrity.
- Stability for the tips while saving valuable lab bench space.
- **Autoclaving caution :**
Do not exceed 121°C / 250°F , 15PSI , 15 minutes.
Do not put materials on tips when autoclaved.
Remove from autoclave immediately , cool down then to drying.

order information

| Product No. | Description | Color | Packing |
|-------------|--|-------|------------------------------|
| TS-10-R | 10ul Pipette Tips, Racked | Clear | 10rack/pk,5pk/cs |
| TS-10-RS | 10ul Pipette Tips, Racked , Pre-Sterilized | Clear | 10rack/pk,5pk/cs |
| TS-10-5R | 10ul Pipette Tips, Stack Racks | Clear | 5racks/stack, 10stacks/cs |
| TS-10-5RS | 10ul Pipette Tips, Stack Racks, Pre-Sterilized | Clear | 5racks/stack, 10stacks/cs |
| TS-10CE-R | 10ul Extra-long Pipette Tips, Racked (45mm) | Clear | 10rack/pk, 5pk/cs |
| TS-10CE-RS | 10ul Extra-long Pipette Tips, Racked, Pre-Sterilized (45mm) | Clear | 10rack/pk, 5pk/cs |

200ul Pipette Tips Racked




- Graduated Universal Racked Pipette Tips.
- Allow to use with virtually all popular pipettors.
- Special design for reduced retention and accurate sample discharge.
- Packaged in racks.
- Best price and great quality.
- High temperature may cause warping or decreased structural integrity.
- Stability for the tips while saving valuable lab bench space.
- **Autoclaving caution:**
Do not exceed 121°C / 250°F, 15PSI, 15 minutes.
Do not put materials on tips when autoclaved.
Remove from autoclave immediately, cool down then to drying.

order information

| Product No. | Description | Color | Packing |
|--------------|---|--------|--------------------------|
| TS-210-C-R | Universal 200ul Pipette Tips,Racked | Clear | 10rack/pk, 5pk/cs |
| TS-210-C-RS | Universal 200ul Pipette Tips, Racks, Pre-Sterilized | Clear | 10rack/pk, 5pk/cs |
| TS-210-C-5R | Universal 200ul Pipette Tips, Stack Racks | Clear | 5racks/stack,10stacks/cs |
| TS-210-C-5RS | Universal 200ul Pipette Tips, Stack Racks, Pre-Sterilized | Clear | 5racks/stack,10stacks/cs |
| TS-210-Y-R | Universal 200ul Pipette Tips, Racked | Yellow | 10rack/pk, 5pk/cs |
| TS-210-Y-RS | Universal 200ul Pipette Tips, Racked, Pre-Sterilized | Yellow | 10rack/pk, 5pk/cs |
| TS-210-Y-5R | Universal 200ul Pipette Tips, Stack Racked | Yellow | 5racks/stack,10stacks/cs |
| TS-210-Y-5RS | Universal 200ul Pipette Tips, Stack Racks, Pre-Sterilized | Yellow | 5racks/stack,10stacks/cs |

1000ul Universal Pipette Tips Racked



- Graduated Universal Racked Pipette Tips.
- Allow uses with virtually all popular pipettors.
- Special design for reduced retention and accurate sample discharge.
- Packaged in racks.
- Best price and great quality.
- High temperature may cause warping or decreased structural integrity.
- Stability for the tips while saving valuable lab bench space.

Autoclaving caution:

Do not exceed 121°C / 250°F, 15PSI, 15 minutes.

Do not put materials on tips when autoclaved.

Remove from autoclave immediately, cool down then to drying

order information

| Product No. | Description | Color | Packing |
|--------------|--|-------|------------------|
| TS-1100-C-R | 1000ul Pipette Tips , Racked | Clear | 10rack/pk,5pk/cs |
| TS-1100-C-RS | 1000ul Pipette Tips , Racked , Pre-Sterilized | Clear | 10rack/pk,5pk/cs |
| TS-1100-B-R | 1000ul Pipette Tips , Racked | Blue | 10rack/pk,5pk/cs |
| TS-1100-B-RS | 1000ul Pipette Tips , Racked , Pre-Sterilized | Blue | 10rack/pk,5pk/cs |

Adjustable Volume Precision Micropipettes



Autoclaveable, Volume can be locked.

Adjustable Volume Precision Micropipettes / $\pm 2.5\%$ to $\pm 1.2\%$

- EG micropipets offer reliable accuracy with comfortable hand operation.
- Volume Range: Accuracy: $\pm 2.5\%$ to $\pm 1.2\%$. Repeatability: $\leq 0.80\%$ - 0.4%
- Newly developed high temperature and chemical resistant.
- Easy volume setting- remains set and very clear.
- Narrow neck with tip ejector.
- It must be re-calibrated after it is autoclaved under 121°C .
- This pipette can be autoclaved not more than 6 times.

order information

| Product No. | Description | Packing |
|-------------|---------------------------|------------------------------------|
| TT-2 | Micropipette , Adjustable | 0.2ul - 2ul |
| TT-10 | Micropipette , Adjustable | 1ul - 10ul |
| TT-20 | Micropipette , Adjustable | 2ul - 20ul |
| TT-100 | Micropipette , Adjustable | 10ul - 100ul |
| TT-200 | Micropipette , Adjustable | 20ul - 200ul |
| TT-1000 | Micropipette , Adjustable | 100ul - 1000ul |
| TT-5000 | Micropipette , Adjustable | 1ml - 5ml |
| PT8-200 | Multi-channel8 | 20 -200ul (fit to TIP-250-C tips) |

Microcentrifuge Tube / Centrifuge Tube

Microcentrifuge Tube products are mainly including in two types of sterilized centrifuge tube and graduated microcentrifuge tube. The precisely calibratin, special design for providing excellent air-tightness, high transparence and low remainders, no waste of product.



Cryo -Vial External Cap



Screw Cap Tubes



Centrifuge Tubes 15ml



Centrifuge Tubes 50ml



Graduated Microcentrifuge
Tube 0.5ml



Graduated Microcentrifuge
Tube 1.5 ml



Graduated Microcentrifuge
Tube 2.0 ml



Microcentrifuge Tube Holder

Microcentrifuge Tubes 0.5ml



Crystal Clear Medical Grade Polypropylene

- Premium quality graduated microcentrifuge tubes made from crystal clear, medical PP.
- Graduated at 0.2, 0.4 and 0.6 ml
- Microcentrifuge tubes can be centrifuged up to 20,000g.
- All Microcentrifuge tubes are centrifuged to be DNase/RNase free/Pyrogen safe.
- Autoclaving and resistant to temperatures up to 121°C.
- Color assorted for blue / green / red / violet /yellow /amber /clear in box
- "Popping" highly resistant during heating.

order information

| Product No. | Description | Color | Packing |
|--------------|---------------------------------|----------|----------------------------|
| TUBE-050-C | 0.5ml Micro tubes | Clear | 1000ea/pk,10pk/cs |
| TUBE-050-B | 0.5ml Micro tubes | Blue | 1000ea/pk,10pk/cs |
| TUBE-050-G | 0.5ml Micro tubes | Green | 1000ea/pk,10pk/cs |
| TUBE-050-R | 0.5ml Micro tubes | Red | 1000ea/pk,10pk/cs |
| TUBE-050-V | 0.5ml Micro tubes | Violet | 1000ea/pk,10pk/cs |
| TUBE-050-A | 0.5ml Micro tubes | Amber | 1000ea/pk,10pk/cs |
| TUBE-050-Y | 0.5ml Micro tubes | Yellow | 1000ea/pk,10pk/cs |
| TUBE-050-MIX | 0.5ml Micro tubes | Assorted | 1000ea/pk,10pk/cs |
| TUBE-050-CS | 0.5ml Micro Tube,Pre-sterilized | Clear | 100ea/bag,8bags/pk,10pk/cs |

Graduated Microcentrifuge Tubes 1.5ml



High Quality Polypropylene

- Accurate graduated at 0.1ml, 0.5ml, 1.0ml and 1.5ml
- Flat tops and writing area on the side of the tube for labeling.
- Ultra tolerance for centrifugal forces of up to 18,000 RCF.
- All tubes offered with special low friction surface.
- "Popping" highly resistant during heating.
- Made in various standard colors.
- DNase/RNase free/Pyrogen safe.
- Autoclavable.
- Color assorted for blue / green /red / violet /yellow /amber /clear in box
- **Contain one free tube holder / box**

order information

| Product No. | Description | Color | Packing |
|--------------|---------------------------------|----------|---------------------------------|
| TUBE-170-C | 1.5ml Micro Tube | Clear | 500ea/pk,10pk/cs |
| TUBE-170-B | 1.5ml Micro Tube | Blue | 500ea/pk,10pk/cs |
| TUBE-170-G | 1.5ml Micro Tube | Green | 500ea/pk,10pk/cs |
| TUBE-170-R | 1.5ml Micro Tube | Red | 500ea/pk,10pk/cs |
| TUBE-170-V | 1.5ml Micro Tube | Violet | 500ea/pk,10pk/cs |
| TUBE-170-A | 1.5ml Micro Tube | Amber | 500ea/pk,10pk/cs |
| TUBE-170-Y | 1.5ml Micro Tube | Yellow | 500ea/pk,10pk/cs |
| TUBE-170-MIX | 1.5ml Micro Tube | Assorted | 500ea/pk,10pk/cs |
| TUBE-170-CS | 1.5ml Micro Tube,Pre-sterilized | Clear | 100ea/bag, 4bags/pk 10 pk/cs |

Microcentrifuge Tubes 2.0ml



Crystal Clear Medical Grade PP

- Accurate graduation at 0.1ml, 0.5ml, 1.0ml, 1.5ml and 2.0ml.
- Flat tops and writing area on the side of the tube for labeling.
- Ultra tolerance for centrifugal forces of up to 18,000 RCF.
- All tubes offered with special low friction surface.
- Made in various standard colors.
- DNase/RNase free/Pyrogen safe.
- Autoclavable.
- Color assorted for blue / green /red / violet /yellow /amber /clear in box
- “Popping” highly resistant during heating.

order information

| Product No. | Description | Color | Packing |
|--------------|-------------------------------|----------|---------------------------------|
| TUBE-200-C | 2ml Micro tubes | Clear | 500ea/pk,10pk/cs |
| TUBE-200-B | 2ml Micro tubes | Blue | 500ea/pk,10pk/cs |
| TUBE-200-G | 2ml Micro tubes | Green | 500ea/pk,10pk/cs |
| TUBE-200-R | 2ml Micro tubes | Red | 500ea/pk,10pk/cs |
| TUBE-200-V | 2ml Micro tubes | Violet | 500ea/pk,10pk/cs |
| TUBE-200-A | 2ml Micro tubes | Amber | 500ea/pk,10pk/cs |
| TUBE-200-Y | 2ml Micro tubes | Yellow | 500ea/pk,10pk/cs |
| TUBE-200-MIX | 2ml Micro tubes | Assorted | 500ea/pk,10pk/cs |
| TUBE-200-CS | 2ml Micro tube,Pre-sterilized | Clear | 100ea/bag, 4bags/pk 10 pk/cs |

Centrifuge Tubes 15ml



25 tubes/pk, 20pk/cs


- O.DXL(mm) is 17×120 (tube)
- Clear Polypropylene.
- Gamma Radiation Sterilized.
- Cap 50% longer ideal for avoiding contamination.
- Blue Cap.
- Conical Bottom.
- Maximum RCF is 12,000g
- DNase/RNase free/Pyrogen safe.
- Autoclavable.
- Temperature range is -20°C to 121°C
- Leak-proof



order information

| Product No. | Description | Color | Packing |
|-------------|------------------------------------|----------|--------------------|
| P1013-15BF | 15ml, Bulk Pack (Pre-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-15 | 15ml, Bulk Pack (Non-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-15BR | 15ml, Racked Pack (Pre-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-15A | 15ml, Bulk Pack (Non-Sterilized) | Amber | 50tubes/pk,10pk/cs |

Centrifuge Tubes 50ml



25 tubes/pk, 20pk/cs


- OD X L (mm) is 30×115 (tube)
- Clear Polypropylene.
- Gamma Radiation Sterilized.
- Cap 50% longer ideal for avoiding contamination.
- Blue Cap.
- Conical Bottom.
- Maximum RCF is 18000g
- DNase/Rnase free/Pyrogen safe.
- Autoclavable.
- Range is -20°C to 121°C
- Leak - proof



order information

| Product No. | Description | Color | Packing |
|-------------|------------------------------------|----------|--------------------|
| P1013-50BF | 50ml, Bulk Pack (Pre-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-50 | 50ml, Bulk Pack (Non-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-50BR | 50ml, Racked Pack (Pre-Sterilized) | Blue Cap | 25tubes/pk,20pk/cs |
| P1013-50A | 50ml, Bulk Pack (Non-Sterilized) | Amber | 50tubes/pk,10pk/cs |

Cryo Vial-External Cap



Product Description

- Materials : Polypropylene : applications in the pharmaceutical, medical Device, laboratory and diagnostics.
- Cryo Vial is normally used for store biological samples at temperature as low as- 196°C.
- The external cap has a molded- in sealing ring which assures a tight, leakproof seal.
- Conical bottom with slotted skirt.
- a large white marking area.
- For use in vapor phase of liquid nitrogen.
- DNase/RNase free /Pyrogen safe.
- Re-closable ziplock pack for non-sterilize and pre-sterilized by gamma ray.

Warning:

Do not use Cryo Vial in the liquid phase of liquid nitrogen unless they are correctly sealed in Cryo Vials tubing. Improper use of Cryo Vials in liquid nitrogen may result in possible explosions or biohazard release due to the pressure build-up of liquid nitrogen captured within the vial. To ensure proper sealing and put vials in-80c SEVERAL MINUTES BEFORE In liquid nitrogen.

Work Station Rack for Cryo Vails

- autoclavable.
- Designed to accept vial with slotted skirts.
- The vials become locked in position when put in the hole.
- Easy to open/close with one hand.
- 50well



order information

| Product No. | Description | Color | Packing |
|-------------|--|----------|--------------------|
| CR-1.2EA | 1.2ML Vial, External cap, Non-Sterilized | Assorted | 100/bag,5bags/case |
| CR-1.2EB | 1.2ML Vial, External cap, Non-Sterilized | Blue | 100/bag,5bags/case |
| CR-2.0EA | 2.0ML Vial , External cap, Non-Sterilized | Assorted | 100/bag,5bags/case |
| CR-2.0-EB | 2.0ML Vial , External cap, Non-Sterilized | Blue | 100/bag,5bags/case |
| CR-4.0EA | 3.8ML Vial , External cap, Non-Sterilized | Assorted | 100/bag,5bags/case |
| CR-4.0-EB | 3.8ML Vial , External cap, Non-Sterilized | Blue | 100/bag,5bags/case |
| CR-1.2EB-S | 1.2ML Vial , External cap , Pre-Sterilized | Blue | 50/bag,10bags/case |
| CR-1.2EA-S | 1.2ML Vial , External cap , Pre-Sterilized | Assorted | 50/bag,10bags/case |
| CR-2.0EB-S | 2.0ML Vial , External cap , Pre-Sterilized | Blue | 50/bag,10bags/case |
| CR-2.0EA-S | 2.0ML Vial , External cap , Pre-Sterilized | Assorted | 50/bag,10bags/case |
| CR-4.0EB-S | 3.8ML Vial , External cap , Pre-Sterilized | Blue | 50/bag,10bags/case |
| CR-4.0EA-S | 3.8ML Vial , External cap , Pre-Sterilized | Assorted | 50/bag,10bags/case |
| CR-Rack | 50well Working Station Rack | Blue | 5ea/pk,10pks/case |

Screw Cap Tubes



- Screw Cap Tubes serve a broad range of laboratory needs, including collection, processing, centrifugation, long term storage
- Materials: Polypropylene applications in the pharmaceutical, medical Device, laboratory and diagnostics.
- The external cap without O-Ring but assures a tight, leakproof seal.
- RCF up to 20,000g
- Temperature range is -80°C to 121°C
- Autoclavable
- Conical / Self Standing Type
- DNase / RNase free / Pyrogen safe.
- Re-closable ziplock pack for non-sterilize and pre-sterilized by gamma ray.

order information

| Product No. | Description | Color | Packing |
|-------------|---|-------|--------------------|
| ST-1.5-CS | 1.5ML Conical type Pre-Sterilized | Clear | 50/bag,10bags/case |
| ST-1.5-C | 1.5ML Conical type | Clear | 100/bag,5bags/case |
| ST-1.5-A | 1.5ML Conical type | Amber | 100/bag,5bags/case |
| ST-1.5-SS | 1.5ML Self-Standing type Pre-Sterilized | Clear | 50/bag,10bags/case |
| ST-1.5-S | 1.5ML Self-Standing type | Clear | 100/bag,5bags/case |
| ST-1.5-SA | 1.5ML Self-Standing type | Amber | 100/bag,5bags/case |

ELISA Plate




50 pcs/cs

- Made from clear polystyrene, these ELISA plate is high grade for optic transmission.
- Arranged in the standard 8 X 12 well configuration, available as flat bottom wells.
- Alphanumeric indexing for easy sample identification.
- The ELISA plate fits all standard optical readers.
- Measure 4 3/4" X 3 3/16"(122mm X 80mm)
- Can't be autoclaved

order information

| Product No. | Description | Packing |
|-------------|---|-----------------|
| EL-1190-F | Micro-Plates Flat type | 5ea/pk, 10pk/cs |
| EL-1190-FC | Micro-Plates Flat type, with Lid | 1ea/pk, 50ea/cs |
| EL-1190-FCS | Micro-Plates Flat type, with Lid Pre-sterilized | 1ea/pk, 50ea/cs |
| EL-1190-WF | Micro-Plates Flat type ,WHITE | 5ea/pk, 10pk/cs |
| EL-1190-BF | Micro-Plates Flat type, BLACK | 5ea/pk, 10pk/cs |

Serological pipette



Product Description

Serological Pipette

The product is made of high quality polystyrene (PS) in class 100,000 clean room. Novel aspiration area design can fit most of the pipettors on the market. Mainly used for accurate measure or transfer for certain volume liquid and is widely applied in the field of cell culture, bacteriology, clinical research, etc..

- Available in five capacity: 1.0ml, 2.0ml, 5.0ml, 10.0ml, 25.0ml. Graduations are calibrated within $\pm 2\%$.
- 1.0ml, 2.0ml, 5.0ml, 10ml pipettes are shaped by stretching method.
- 25.0ml pipettes tips are welded to the tube by ultrasonic wave.
- Different colors correspond to different specification, easy to distinguish.
- Maximally reduce the liquid adhesion to the tube inner wall and thus improve the sampling accuracy.
- Excellent double-side graduation design ideally meet with the demand for liquid adding or reducing.
- Clear and simple graduation, as well as the negative one for extra volume, makes the liquid drawing and reading easier.
- All serological pipettes are assembled with high quality filters.
- Sterilized by Gamma radiation.
- Individual paper-plastic pack and available with non-pyrogenic and DNase/RNase free/Pyrogen safe.

order information

| Product No. | Description | Packing |
|-------------|--|-----------|
| EG-PP11001 | Serological Pipette . Individual Package . Sterilized . 1ml | 500PCS/CS |
| EG-PP11002 | Serological Pipette . Individual Package . Sterilized . 2ml | 500PCS/CS |
| EG-PP11005 | Serological Pipette . Individual Package . Sterilized . 5ml | 200PCS/CS |
| EG-PP11010 | Serological Pipette . Individual Package . Sterilized . 10ml | 200PCS/CS |
| EG-PP11025 | Serological Pipette . Individual Package . Sterilized . 25ml | 150PCS/CS |

Syringe Filter



CA

cellulose acetate syringe filters are hydrophilic membrane disc filters that are ideal for maximum sample recovery.

MCE

MCE syringe filters are made using high-quality nitrocellulose polymer (cellulose nitrate and cellulose acetate). This material is easily blocked to give it a very low background

NY

Nylon filter devices are designed for sterilization and clarification of aqueous and solvent samples in a wide array of analytical and research applications. They are primarily used to filter small aqueous and organic samples with low hold-up volume in order to inject them directly into the HPLC sample loop systems.

PES

PES is hydrophilic and constructed from pure polyethersulfone polymer membrane for maximum sample recovery. Low protein and drug binding characteristics make it ideally suited for use in life sciences applications.

PTFE

hydrophobic PTFE membranes are designed to filter most aggressive solvents whether they are acid or base samples.

PVDF

These Polyvinyl Difluoride (PVDF) syringe filters are both low protein binding and possess high flow rates.

| Solutions | Recommended |
|---|---------------------------------|
| Solvent Mixtures | Nylon, Hydrophilic PTFE, |
| Tissue culture Media, Buffers, Protein Analysis/ Biological Samples | CA, PES, MCE, Hydrophilic, PVDF |
| High Particulate Loads | PP, GF, Filter with pre-filter |
| Aggressive or Pure Organic Solvents | Hydrophobic PTFE, PVDF |

Basefil™ syringe filters design with a layer of pre-filter.
Ideal for filtering the solutions with a high load of particulate matter, used in pharmaceutical, environmental, biotechnology, food/beverage and agricultural testing applications.
These syringe filters are available with many different membranes, in both sterile and non-sterile varieties.
Package: 100pcs/pk(non-sterile), 50pcs/pk(Sterilized, Individual pack)

Specification:

| Parameters | 13mm | | 25mm | |
|---------------------------------|---------------------------------|------|--------|------|
| Filtration area(cm2) | 1.09 | | 4.08 | |
| Normal Pore Size (µm) | 0.22 | 0.45 | 0.22 | 0.45 |
| Holdup volume(µl) | 20 µl | | 100 µl | |
| Sample volume(ml) | 10 ml | | 100 ml | |
| Inlet/Outlet | Female luer lock/Male luer slip | | | |
| Maximum Operating Pressure(psi) | >87 | | >87 | |

Order Information 13mm syringe filters

| Part | Membrane | Pore Size(μm) | Diameter (mm) | Packing (pcs/pk) |
|-----------|------------------|---------------|---------------|------------------|
| B13NY022 | NYLON | 0.22 | 13 | 100 |
| B13NY045 | | 0.45 | 13 | 100 |
| B13PTO022 | Hydrophobic PTFE | 0.22 | 13 | 100 |
| B13PTO045 | | 0.45 | 13 | 100 |
| B13PTI022 | Hydrophilic PTFE | 0.22 | 13 | 100 |
| B13PTI045 | | 0.45 | 13 | 100 |
| B13PES022 | PES | 0.22 | 13 | 100 |
| B13PES045 | | 0.45 | 13 | 100 |
| B13PVO022 | Hydrophobic PVDF | 0.22 | 13 | 100 |
| B13PVO045 | | 0.45 | 13 | 100 |
| B13PVI022 | Hydrophilic PVDF | 0.22 | 13 | 100 |
| B13PVI045 | | 0.45 | 13 | 100 |
| B13CA022 | CA | 0.22 | 13 | 100 |
| B13CA045 | | 0.45 | 13 | 100 |
| B13MCE022 | MCE | 0.22 | 13 | 100 |
| B13MCE045 | | 0.45 | 13 | 100 |

25mm syringe filters

| Part | Membrane | Pore Size(μ m) | Diameter (mm) | Packing (pcs/pk) |
|-----------|------------------|---------------------|---------------|------------------|
| B25NY022 | NYLON | 0.22 | 25 | 100 |
| B25NY045 | | 0.45 | 25 | 100 |
| B25PTO022 | Hydrophobic PTFE | 0.22 | 25 | 100 |
| B25PTO045 | | 0.45 | 25 | 100 |
| B25PTI022 | Hydrophilic PTFE | 0.22 | 25 | 100 |
| B25PTI045 | | 0.45 | 25 | 100 |
| B25PES022 | PES | 0.22 | 25 | 100 |
| B25PES045 | | 0.45 | 25 | 100 |
| B25PVO022 | Hydrophobic PVDF | 0.22 | 25 | 100 |
| B25PVO045 | | 0.45 | 25 | 100 |
| B25PVI022 | Hydrophilic PVDF | 0.22 | 25 | 100 |
| B25PVI045 | | 0.45 | 25 | 100 |
| B25CA022 | CA | 0.22 | 25 | 100 |
| B25CA045 | | 0.45 | 25 | 100 |
| B25MCE022 | MCE | 0.22 | 25 | 100 |
| B25MCE045 | | 0.45 | 25 | 100 |

Forefil™ Syringe Filter:

17 and 33mm Syringe Filters designed with a layer of GF prefilter ideal for filtering the solutions with a high load of particulate matter and to speed up and increase sample volume throughput while reducing thumb pressure.


Package: 100pcs/pk(non-sterile), 50pcs/pk(Sterilized, Individual pack)

| | | | | |
|---------------------------------|---------------------------------|------|--------|------|
| Parameters | 17mm | | 33mm | |
| Housing material | Virgin Medical Polypropylene | | | |
| Filtration aread (cm2) | 1.65 | | 4.9 | |
| Normal Pore Size (µm) | 0.22 | 0.45 | 0.22 | 0.45 |
| Holdup volume(µl) | 20 µl | | 100 µl | |
| Sample volume(ml) | 20 ml | | 120 ml | |
| Inlet/Outlet | Femaie luer lock/Male luer slip | | | |
| Maximum Operating Pressure(psi) | >87 | | >87 | |


Order Information

| Cart No | Description | Packing |
|-----------|--|-----------|
| F17NY022 | Nylon Syringe Filter, 17mm, 0.22µm | 100pcs/pk |
| F17NY045 | Nylon Syringe Filter, 17mm, 0.45µm | 100pcs/pk |
| F33NY022 | Nylon Syringe Filter, 33mm, 0.22µm | 100pcs/pk |
| F33NY045 | Nylon Syringe Filter, 33mm, 0.45µm | 100pcs/pk |
| F17PTO022 | PTFE Syringe Filter, 17mm, 0.22µm, Hydrophobic | 100pcs/pk |
| F17PTO045 | PTFE Syringe Filter, 17mm, 0.45µm, Hydrophobic | 100pcs/pk |
| F33PTO022 | PTFE Syringe Filter, 33mm, 0.22µm, Hydrophobic | 100pcs/pk |
| F33PTO045 | PTFE Syringe Filter, 33mm, 0.45µm, Hydrophobic | 100pcs/pk |
| F17PTI022 | PTFE Syringe Filter, 17mm, 0.22µm, Hydrophilic | 100pcs/pk |
| F17PTI045 | PTFE Syringe Filter, 17mm, 0.45µm, Hydrophilic | 100pcs/pk |
| F33PTI022 | PTFE Syringe Filter, 33mm, 0.22µm, Hydrophilic | 100pcs/pk |
| F33PTI045 | PTFE Syringe Filter, 33mm, 0.45µm, Hydrophilic | 100pcs/pk |
| F17PVO022 | PVDF Syringe Filter, 17mm, 0.22µm, Hydrophobic | 100pcs/pk |
| F17PVO045 | PVDF Syringe Filter, 17mm, 0.45µm, Hydrophobic | 100pcs/pk |
| F33PVO022 | PVDF Syringe Filter, 33mm, 0.22µm, Hydrophobic | 100pcs/pk |
| F33PVO045 | PVDF Syringe Filter, 33mm, 0.45µm, Hydrophobic | 100pcs/pk |
| F17PVI022 | PVDF Syringe Filter, 17mm, 0.22µm, Hydrophilic | 100pcs/pk |
| F17PVI045 | PVDF Syringe Filter, 17mm, 0.45µm, Hydrophilic | 100pcs/pk |
| F33PVI022 | PVDF Syringe Filter, 33mm, 0.22µm, Hydrophilic | 100pcs/pk |
| F33PVI045 | PVDF Syringe Filter, 33mm, 0.45µm, Hydrophilic | 100pcs/pk |
| F17PES022 | PES Syringe Filter, 17mm, 0.22µm | 100pcs/pk |
| F17PES045 | PES Syringe Filter, 17mm, 0.45µm | 100pcs/pk |
| F33PES022 | PES Syringe Filter, 33mm, 0.22µm | 100pcs/pk |
| F33PES045 | PES Syringe Filter, 33mm, 0.45µm | 100pcs/pk |
| F17CA022 | CA Syringe Filter, 17mm, 0.22µm | 100pcs/pk |
| F17CA045 | CA Syringe Filter, 17mm, 0.45µm | 100pcs/pk |
| F33CA022 | CA Syringe Filter, 33mm, 0.22µm | 100pcs/pk |
| F33CA045 | CA Syringe Filter, 33mm, 0.45µm | 100pcs/pk |
| F17RC022 | RC Syringe Filter, 17mm, 0.22µm | 100pcs/pk |
| F17RC045 | RC Syringe Filter, 17mm, 0.45µm | 100pcs/pk |
| F33RC022 | RC Syringe Filter, 33mm, 0.22µm | 100pcs/pk |
| F33RC045 | RC Syringe Filter, 33mm, 0.45µm | 100pcs/pk |

Petri Dishes



9cm



6cm



Polystyrene

- Optical clear polystyrene with consistently flat bottoms.
- Designed for easy one hand opening and closing.
- Edges of tops and bottoms are squared off to provide a firm sure grip.
- Dishes have four to six venting ribs on the underside of the lid.
- To prevent condensation build up.
- Gamma ray sterilized.

order information

| Product No. | Description | Packing |
|-------------|---|---------------------|
| PF1000-15 | 150x15mm , beveled stacking rings | 10ea/pk, 18pk/case |
| PF1000-09 | 90x15mm , beveled stacking rings | 20ea/pk, 25pk/case |
| PF1100-06 | 60x15mm , beveled stacking rings | 10ea/pk, 50pk/case |
| PF1000-15S | 150x15mm , beveled stacking rings, pre-sterilized | 10 ea/pk, 18pk/case |
| PF1000-09S | 90x15mm , beveled stacking rings, pre-sterilized | 20 ea/pk, 25pk/case |
| PF1100-06S | 60x15mm , beveled stacking rings, pre-sterilized | 10ea/pk, 50pk/case |

Contact Plate (RODAC)



Product Description

Contact Plate

Used in environmental studies , ex.pharmaceutical , food processing industry or hospitals , to determine levels of microbial contamination of surfaces.

Produced in clean room.

- Material : polystyrene
- Plate :with gridded bottom and protect lid
- Size: 65 X15 mm (outside)
- Agar bed surface area :25 cm²
- Gamma irradiated
- Package : 10 per sleeve ,500pcs/case

order information

| Product No. | Description | Packing |
|-------------|---|-------------------|
| RD1065S | Contact Plate (RODAC) 65 x15mm , Pre-sterilized | 10ea/pk, 50pks/cs |

TE (Peltier) Cooling PCR Thermocycler / UV Table / Mini Centrifuge and others

PCR Thermocycler / UV Table and mini Centrifuge

ExtraGene's PCR adopt the most advanced PELTIER technology in the prevailing world in the terms of speed, operation and reliability.


For personal use, EG3200 is economical and to save your space. EG9600, your best choice for all the PCR tubes, 0.2ml single tube, 8 strip tubes and 96well plates. The block is changeable.



TE (Peltier) Cooling PCR
Thermocycler 32 Well



TE (Peltier) Cooling PCR
Thermocycler 96 Well



Mini UV Table Ultraviolet
Analyzer




High Speed Centrifuge



Mini Centrifuge

TE (Peltier) Cooling PCR Thermocycler, 32 Well



- Sample plate well: 32 X 0.2ml (4 X 8)
- Temperature range for the sample plate: 4°C-100°C with 0.1°C resolution.
- Temperature range for heat lid: 98°C-105°C
 - Max temperature up rate: >3°C/s
 - Max temperature down rate: >2.8°C/s
- Max temperature difference between wells: +0.5°C
- Temperature control resolution: +0.1°C
- User program: 110 (each program may contain up to 13 segments with 3-step cycle for each program).
- Time extending function.
- Temperature extending function.
- Dimension : 280 X 230 X 180

order information

| Product No. | Description | Packing |
|-------------|---------------------------------------|---------|
| EG3200 | TE (Peltier) Cooling PCR Thermocycler | Set |

TE (Peltier) Cooling PCR Thermocycler, 96 Well



Product Specifications

- Model : EG9600
- Capacity : 96×0.2ml, 54×0.5ml, 384 well
- Temp range : 0°C~99°C (RT≤30°C)
- Heating rate : $\geq 3.0^{\circ}\text{C}/\text{s}$
- Cooling rate : $\geq 2.8^{\circ}\text{C}/\text{s}$
- Uniformity : $\leq \pm 0.4^{\circ}\text{C}$ (95°C) ,
 $\leq \pm 0.2^{\circ}\text{C}$ (20°C~75°C)
- Accuracy : $\leq \pm 0.2^{\circ}\text{C}$
- Gradient temp range : 30°C~99°C
- Gradient spread : 2°C~30°C
- Heated lid temp : 70°C~115°C
- Stored program no. : 100
- Max.No.of Cycle : 99
- Graphical representation : 5.7inch ,
320×240pels LCM
- Communication : USB2.0
- A : 96×0.2 , B : 54×0.5 ,
C : 96×0.2+77×0.5 , D : 384 well
- Size : 380mm(L)×270mm(W)×250mm(H)
- Weight : 7.2kg

Product Description


- The most advanced PELTIER technology.
- Convenient and flexible fitting for exchanging block easily.
- Large LCD panel enhances visibility and ease-of-operation.
- Graphic display makes programming quick and simple.
- With memory function in case of power-down.
- Low noise , low energy consumption , long application life.
- Complete machine solemn appearance generous , innovative modeling.
- Unique rotating stall heat-regulating function.
- Large screen display , more intuitive to inspect.
- Optimal design of the human body , the operators more convenient.
- Lid can be arbitrary angle positioning.
- Handle-module , module replacement more secure and convenient.

EG 9700 Color Screen Gradient PCR



1. Standard module: 96X0.2ml+77X0.5ml combined module; 384 well module (option).
2. Temperature range: 0°C-100°C
3. Temperature raise rate: $\geq 4.0^{\circ}\text{C/s}$
4. Temperature down rate: $\geq 3.5^{\circ}\text{C/s}$
5. Temperature uniformity: $\leq \pm 0.2^{\circ}\text{C}$
6. Temperature accuracy: $\leq \pm 0.2^{\circ}\text{C}$
7. Temperature gradient range: 30-100°C
8. Width of the temperature gradient: 1-30°C
9. Heat lid temperature: 2-110°C (adjustable). Pressure of the lid is also adjustable, and with pressure indicator.
10. Max user programs: 200
11. Max cycles: 99
12. Visual interface: 5.7" large TFT color screen with LED backlight with 640X480 resolution, visual interface for processing status and parameter displaying.
13. Communication port: USB 2.0, let one PC control the running of 1-128 PCR.
14. Red LED indicator on the terminal show the status of the communication port.
15. USB line is EMC capable.
16. May download user program directly from PC to PCR via USB port.
17. Excel table data exchange between PC and PCR.
18. Program in pocket: may set up, edit, save and copy user program on U disk.
19. Data and file with CRC check code, ensure the data safety and security.
20. Enough space for extend in the file and table.

Mini UV Table Ultraviolet Analyzer



2

Product Specifications

- Light UV filter protect user from UV light.
- High light power UV tube, $\geq 800 \mu\text{W}/\text{cm}^2$.
- 312nm UV light wave length.
- Electronic starter, no flash when turn on the light that lengthens UV tube's service life.
- Filter size: 200 x 200 mm.
- Air cooling fan: which prevents overheating.
- 8 W tube x 6.
- Compact dimension: 373 mm x 280 mm x 285 mm.

order information

| Product No. | Description | Packing |
|-------------|---------------|---------|
| UV-2 | Mini UV Table | set |

Mini Centrifuge



Mini Centrifuge is ideal for quick spin downs and microfiltration

Each unit has an on/ off switch allowing the user to stop the motion of the rotor before opening the centrifuge lid.

- Supplied with rotors for 1.5 / 2.0 ml tubes and 0.2ml PCR strips.
- 6500 rpm/ 2260 X g.
- On / Off switch.
- Durable lid hinge.
- Noisy ≤ 50 db.
- Adaptor : 1.5 / 2.0mlX8well X1, 0.5ml X8, 0.2ml X8, 8 strips X4well X1.
- Warranty : 2 years

order information

| Product No. | Description | Color |
|-------------|---|-------|
| EG600330 | Mini Centrifuge, 6500RPM, AC110-250V (150WX168DX132Hmm) | Blue |



High Speed Centrifuge EG14K24

Product Description:

Adopt brushless motor, low noise and no need maintenance

Rotor Temperature: $\leq RT + 10^{\circ}C$

Speed Range : 500- 14000rpm

Speed Accuracy: $\leq 100rpm$

Max. RCF : 24-18670g

Rotor : 1.5ml x24well

Timer : 15sec. -99min. , can continuous centrifugation

Short-Spin button: for quick spin down

High Speed Centrifuge EG20K12

Product Description:

Adopt brushless motor, low noise and no need maintenance

Rotor Temperature: $\leq RT + 10^{\circ}C$

Speed Range : 500- 20000rpm

Speed Accuracy: $\leq 100rpm$

Max. RCF : 24-27503g

Rotor : 1.5ml x12well

Timer : 15sec. -99min. , can continuous centrifugation

Short-Spin button: for quick spin down

Microplate Centrifuge EG0218



Product Description

Mini Microtiter Plate Centrifuger is an instantaneous centrifuger that is specially designed for microtiter plate and used to detach wall liquid. It is applicable to 96-hole or 384-hole or other small-capacity microtiter plates or PCR microtiter plates of various types with or without skirt

- a) Ambient Temperature: 5°C~40°C
- b) Relative Humidity: ≤85%
- c) Atmospheric Pressure: 860hPa-1060hPa
- d) Power Supply: AC110-250V
- e) No conductive dust, explosive gas or corrosive gas is allowed in the room.


| | | | |
|-----------------------|-------------|--------------------------------------|---------------------------------|
| Size (mm) | 242x200x197 | Power | AC110-250V |
| Max Rotating Speed | 2500r/min | Max Capacity | Two pieces of microtiter plates |
| Max Centrifugal Force | 500g | Weight | 2.5kg |
| Noise | ≤58dB | Relative Deviation of Rotating Speed | ≤5% |
| Timer(sec.) | | | 5-25 |

Other Products

ExtraGene® continuously develops excellent quality and reasonable price products for clients, if there is any demand, please feel free to contact with US.



Reversible 56-Well Rack



81-Well Freezer Storage Rack



PCR Tube Rack 96-Well



Cryo Cardboard Freezer



Digital Timer

Reversible 56-Well Rack


- Racks placed 56 wells for 1.5ml-2.0ml tubes and 56 wells for 0.5ml on the other side.
- Polypropylene rack is ideal for freezer storage.
- Autoclavable.
- Available in natural, blue, green, pink, yellow, orange or assorted colors (packs of 5)



order information

| Product No. | Description | Color | Packing |
|-------------|-------------------------|----------|------------------|
| P1095-S | 56-well Reversible Rack | Assorted | 5ea/pk , 10pk/cs |
| P1095-C | 56-well Reversible Rack | Clear | 5ea/pk , 10pk/cs |
| P1095-B | 56-well Reversible Rack | Blue | 5ea/pk , 10pk/cs |
| P1095-G | 56-well Reversible Rack | Green | 5ea/pk , 10pk/cs |
| P1095-P | 56-well Reversible Rack | Pink | 5ea/pk , 10pk/cs |
| P1095-Y | 56-well Reversible Rack | Yellow | 5ea/pk , 10pk/cs |

81-Well Freezer Storage Rack




- Racks hold 1.5-2.0ml microtubes and cryovials.
- Feature molded grid lines on the lid, imprinted coordinates on the base and a molded reference point on the lid.
- Available in natural, blue, green, pink, yellow, orange or assorted colors (packs of 5)

order information

| Product No. | Description | Color | Packing |
|-------------|------------------------------|----------|-----------------|
| P1086-S | 81-well Freezer Storage Rack | Assorted | 5ea/pk, 10pk/cs |
| P1086-C | 81-well Freezer Storage Rack | Clear | 5ea/pk, 10pk/cs |
| P1086-B | 81-well Freezer Storage Rack | Blue | 5ea/pk, 10pk/cs |
| P1086-G | 81-well Freezer Storage Rack | Green | 5ea/pk, 10pk/cs |
| P1086-P | 81-well Freezer Storage Rack | Pink | 5ea/pk, 10pk/cs |
| P1086-Y | 81-well Freezer Storage Rack | Yellow | 5ea/pk, 10pk/cs |

PCR Tube Rack 96-Well



- Sturdy polypropylene rack accommodates individual 0.2ml tubes.
- Strips of 8 or 12 tubes *Tube wells are easily identified with imprinted numbers and letter.
- Colors available : natural, blue, green, pink, yellow, orange or assorted colors (packs of 5)

order information

| Product No. | Description | Color | Packing |
|-------------|-----------------------|----------|------------------|
| P1090-S | PCR Tube Rack 96-Well | Assorted | 5ea/pk , 20pk/cs |
| P1090-C | PCR Tube Rack 96-Well | Clear | 5ea/pk , 20pk/cs |
| P1090-B | PCR Tube Rack 96-Well | Blue | 5ea/pk , 20pk/cs |
| P1090-G | PCR Tube Rack 96-Well | Green | 5ea/pk , 20pk/cs |
| P1090-P | PCR Tube Rack 96-Well | Pink | 5ea/pk , 20pk/cs |
| P1090-Y | PCR Tube Rack 96-Well | Yellow | 5ea/pk , 20pk/cs |

Cryo Cardboard Freezer BOX



Economical storage solutions

- Cryo 100, 10 X 10 configuration holds 100 vials, designed for use with cryogenic vials between 0.5ml to 1.5ml.
- Cryo 81, 9 X 9 configuration holds 81 vials, designed for use with cryogenic vials between 1ml to 2ml.
- Box with 100 / 81 cell partitions.
- Dimension: 5 1/4" X 5 1/4" X 1 1/4"

order information

| Product No. | Description | Packing |
|-------------|------------------------|---------|
| PP1072-100 | Cryo 100 Freezer boxes | 50ea/cs |
| PP1072-81 | Cryo 81 Freezer boxes | 50ea/cs |

Microcentrifuge Tube Holder



100ea/pk, 10pk/cs

- Assorted Colors aid tube identification.
- Snap on tube holders to provide secure lid closure.
- Autoclavable.
- Pack of 100 assorted colors in blue, green, pink, yellow and orange

order information

| Product No. | Description | Color | Packing |
|-------------|-------------------|----------|-------------------|
| MK003 | Micro Tube Holder | Blue | 100ea/pk, 10pk/cs |
| MK004 | Micro Tube Holder | Assorted | 100ea/pk, 10pk/cs |

Digital Timer



Product Description

Digital Timer

Mode: Clock, Timer; Count-Up, Count-Down.

Timer range: 23h. 59min. 59sec.

Display size: LCD 47x20mm

Easy operate

Includes back stand, hanging mount, and magnet

order information

| Product No. | Description | Packing |
|-------------|----------------------|---------|
| TM-01 | single channel timer | ea |

Reference Chart

PCR 8strip product Compatibility List

| Brand | Type | P-02X8-C | P02X8-F |
|--------------|------------------------------|----------|---------|
| ABI | Verity 96well Thermal Cycler | v | v |
| | GeneAmp9700 | v | v |
| | 7500REAL Time PCR | X | v |
| | 7300REAL Time PCR2720 | X | v |
| | 2720 | v | v |
| | 2700 | v | v |
| Biometra | T3000 | v | v |
| | Tpersonal | v | v |
| Bio-Rad | DNA Engine | v | v |
| | C1000 | v | v |
| | Mjmini | v | v |
| | Dyad | v | v |
| Eppendorf | Mastercycler pro | v | v |
| | Mastercycler personal | v | v |
| MJ Research | PTC-200 | v | v |
| KYRATEC | SuperCycler | v | v |
| Agilent | Mx3000P QPCR Systems | v | v |
| Astec | PC320 | v | v |
| | PC818A | v | v |
| Labnet | Multigene | v | v |
| SensoQuest | Thermocycler Labcycler | v | v |
| Bio products | Select cyclor | v | v |

P-02X8-F for RT-PCR systems

PCR 0.2ml 8 strip tubes with flat cap, low profile compatibility list

| Mode | Brand | Type |
|----------------|-----------|---|
| PCR machine | Bio-Rad | C1000 & S1000 |
| PCR machine | Bio-Rad | DNA engine line, PTC-100 |
| PCR machine | Bio-Rad | MJ Mini |
| PCR machine | ABI | 0.1ml tube cycles (9600fast, verity fast) |
| PCR machine | Eppendorf | Mastercycler Series |
| | | |
| Mode | Brand | Type |
| RT-PCR machine | Bio-Rad | CFX96 or CFX384 |
| RT-PCR machine | Bio-Rad | Chromo 4 |
| RT-PCR machine | Bio-Rad | Opticon, Opticon 2 |
| RT-PCR machine | Bio-Rad | Mine Opticon |
| RT-PCR machine | ABI | (7500fast, step one, step oneplus) |
| RT-PCR machine | Eppendorf | Mastercycler ep real/plex |

PCR plate Compatibility List

| Brand | Type | Products No. |
|--|----------------------------|-----------------|
| (Real Time PCR Thermal Cyclers) | | P-096-PF |
| Applied Biosystems | 5700 | V |
| | 7000 | V |
| | 7700 | V |
| BioRad | iCycler | V |
| | MyiQ | V |
| | IQ5 | V |
| (Real Time PCR Thermal Cyclers) | | |
| Applied Biosystems | 9600 | V |
| | 9700 | V |
| | 2700 | V |
| Biometra | Uno | V |
| | Uno 11 | V |
| | T1 Thermal Cycler | V |
| | Tgradient | V |
| | Trobot | V |
| BioRad | iCycler | V |
| | MyCycler | V |
| Corbett Research | PalmCycle 96 | V |
| Eppendorf | Mastercycler | V |
| | Mastercycler ep | V |
| Flexi | Gene | V |
| | Genius | V |
| Ericom | Single Block | V |
| | TwinBlock | V |
| | Deltacycler 1 | V |
| ThermoHybaid | PCR Sprint | V |
| | PCR Express | V |
| | Multiblock System | V |
| | Touchdown | V |
| | Omnigene | V |
| | Omn-E | V |
| | Pxe | V |
| | Px2 | V |
| MJ Research | PTC-100 | V |
| | PTC-200 | V |
| | PTC-225 Tetrad | V |
| | Dyad / Disciple | V |
| MWG | Prunys 96 | V |
| TaKaRa | TP 3000 | V |
| Techne | Touchgene Gradient (TC512) | V |
| | Genius (TC412) | V |
| | Touchgene X | V |
| (Sequencers) | | |
| Applied Biosystems | 3100 | V |
| | 3130 | V |
| | 3700 | V |
| | 3730 / 3730x | V |

Agents



AL-AIN UAE:

Bio Medical Scientific Services L.L.C.

Office No.34, 1st Floor Faraj Eisa Bldg., Al-Falahi
Hili Industrial Area, P.O.Box 69480 Al-Ain UAE
Tel : +971-376-20880
Fax : +971-376-20882
Web: www.biomss.com



Argentina:

AP-Biotech S.R.L.

Mitre 114, 3° B Lomas de Zamora (B1832JDB)
Buenos Aires, Argentina
Tel: +5411-42921611
Web: www.apbiotech.com.ar



Bangladesh:

Nanotech Corporation

Sahera Tropical Center Suite-33,3rd Floor
218 Elephant Road, Dhaka-1205 Bangladesh
Tel: +880-2-9615968
Fax: +880-2-9615970
Web: www.ntechbd.com



CHILE:

Winkler Ltda.

El Quillay 466, Valle Grande - Lampa,
Santiago de 9390385, Chile.
Tel : +56-2-24826569
Fax : +56-2-27386979
Web: www.winklerltda.cl



Colombia:

ARISMA S.A

Cra 15 No 52A-06 Bogota, Colombia
Tel : +57-1-5958980
Fax : +57-1-5958982
Web : www.arismasa.com



Georgia:

LABEX L.T.D.

George Balanchini #32, Tbilisi Georgia
Tel: +99555108409 / +995558040506
Fax: +995570104557



Hong Kong

One Scientific Co. Ltd

RM6139 2-8 Shing Wan Road,
Shatin NT Hong Kong
Tel: +852-91505066
Fax: +852-27273193



Indonesia:

PT Biogen Scientific

Rukan Tanjung Mas Raya Jalan Raya Lenteng Agung
Block B1 21 Jakarta Selatan Indonesia 12530
Tel: +6221-78833315 / 68
Fax: +6221-78833351
Web: www.biogenscientific.co.id



Jordan:

Genetics Company

Wasfi El Tal Street - Burj Sharaf El Hayajneh
(Bin Faraj Furniture) 7th Floor Near Tlaa Al-Ali
Post office Amman 11953 Jordan P.O. Box: 5687
Amman 11953 Jordan
Tel : +962 6 5536402
Fax : +962 6 5536398
Web: www.genetics-jo.com



Korea:

Geneclone Company

901, 4, Gajwa-ro 10-gil, Eunpyeong-gu, Seoul Korea
Tel : +82-2-388-2486
Fax : +82-303-3130-2480



Malaysia:

Gene Xpress PLT

No. 46, Jalan TS 6/5, Taman Perindustrian Subang,
47510 Subang Jaya, Selangor D. E., Malaysia
Tel / Fax: +603-5740 8161
Web: www.gene-xpress.com.my



Mexico:

ThermoLab Corporation SA DE CV

1ra. Cerrada de Alfalfares Num. 6 1Bis Col.
Granjas Coapa Delegación Tlalpan MÉXICO
D.F C.P 04200
Tel: +52-55-5603-4700
Fax: +52-55-5673-3743
Web: www.thermolab.mx

Agents



Pakistan:

Med Lab Services

Office # 1, 1st Floor, ABC Plaza, Commercial
Centre, Satellite Town, Rawalpindi-Pakistan

Tel: +92-51-4423895

Fax: +92-51-4456995

Web: www.medlab.com.pk



Philippines:

Just-In-One-Marketing

B10 L12 Palmera Homes Nova East Camarin

Caloocan City Philippines 1422

Tel: +63-2-9611916



Saudi Arabia:

Bio Medical Scientific Services L.L.C.

Office No.34, 1st Floor Faraj Eisa Bldg., Al-Falahi
Hili Industrial Area, P.O.Box 69480 Al-Ain UAE

Tel: +971-376-20880

Fax: +971-376-20882

Web: www.biomss.com



South Africa

Biodex cc

4 Meyer Road, Eastleigh, Edenvale,
Johannesburg, South Africa.

Tel: +27-11452-3932

Fax: +27-11452-3277

Web: www.biodex.co.za



Sultanate of Oman:

Bio Medical Scientific Services L.L.C.

Office No.34, 1st Floor Faraj Eisa Bldg., Al-Falahi
Hili Industrial Area, P.O.Box 69480 Al-Ain UAE

Tel: +971-376-20880

Fax: +971-376-20882

Web: www.biomss.com



Taiwan:

Orhiyo Enterprise Inc.

173, Zu-Shin Rd. Dali Dist, Taichung City
Taiwan, ROC.

Tel: +886-4-2486-2288

Fax: +886-4-2486-2299



Thailand:

Prima Scientific Co., Ltd

147/170-171 Baromrajchonnane Road, Arun-
Amarin, Bangkoknoi, Bangkok 10700, Thailand

Tel: +66-2-435-7434

Fax: +66-2-884-6441

Web: www.prima-sci.com



USA:

Biochrom Corp

5941 NW 176 ST Bay 6, Hialeah FL 33015, U.S.A

Tel: +1-305-600-0444

Fax: +1-786-513-0118

Web: www.biochromcorp.com



USA:

Quasar Instruments, LLC

4835 Centennial Blvd, Colorado Springs,
CO 80919, USA

Tel: +1-608-215-9564

FAX: +1-719-574-2404

Web: www.quasarinstruments.com



Uruguay:

AP-Biotech S.R.L.

Mitre 114, 3° B Lomas de Zamora (B1832JDB)

Buenos Aires, Argentina

Tel: +5411-42921611

Web: www.apbiotech.com.ar



Venezuela:

Biochrom Corp

5941 NW 176 ST Bay 6, Hialeah FL 33015, U.S.A

Tel: +1-305-600-0444

Fax: +1-786-513-0118

Web: www.biochromcorp.com



Vietnam:

Vietlab Scientific Technol Company Ltd

42 Nguyen Khang Street, Yen Hoa Ward
Cau Giay District, Ha Noi, Vietnam

Tel: +84-4-66755955

Fax: +84-4-62691885

Web: www.vietlab.vn

Note

Note



www.extragene-web.com

ISO 9001 / ISO13485 / CE

60, Renhuagong 16th RD. Dali Dist, 41278 Taichung City Taiwan, ROC.

Tel: 886-4-2493-0999 Fax: 886-4-2492-2777

E-mail: service@extragene-web.com Copyright © 2009 ExtraGene, Inc. All Rights Reserved.